WALL TYPE SCHEDULE

WALL TYPE	DESCRIPTION	THICKNESS	FIRE RATING	STC	STRUCTURAL
CW-1	Corridor wall (2x4 + 2 layers GWB)	6"	1-HR	50	NO
DW-1	Demising wall (2x4 staggered + batt + 2xGWB)	9"	1-HR	55	NO
EW-1	Study fiber-cement panel rainscreen	10.0"	NOT PROVIDED — BY OTHERS	NOT PROVIDED — BY OTHERS	YES
PW-1	Interior partition (2x4 + GWB)	4.5"	0-HR	33	NO
SF-1	Shaft wall (elevator/stair)	8"	2-HR	55	YES

AUTHORED WALL TYPES; TEST LISTINGS AND PERFORMANCE REQUIRE REVIEW

SHEET NOTES

1. GENERAL REQUIREMENTS: SPECIFIED IN SECTION 01 10 00.

NOT PROVIDED — BY OTHERS
APPLICANT / OWNER

CONSULTANTS

STRUCTURAL	NOT PROVIDED — BY OTHERS
CIVIL	NOT PROVIDED — BY OTHERS
MECHANICAL	NOT PROVIDED — BY OTHERS
PLUMBING	NOT PROVIDED — BY OTHERS
ELECTRICAL	NOT PROVIDED — BY OTHERS
LANDSCAPE	NOT PROVIDED — BY OTHERS
FIRE PROTECTION	NOT PROVIDED — BY OTHERS
GEOTECHNICAL	NOT PROVIDED — BY OTHERS

REVIEW

Prepared for review by the design professional of record. Not for construction or permit submission.

PROJECT

Architecture.Engineering — L courtyard study

FICTIONAL STUDY; NO REAL PARCEL
ARCHITECTURE.ENGINEERING — L COURTYARD STUDY
OCCUPANCY R-2, M · CONSTRUCTION NOT PROVIDED — BY OTHERS · STORIES 4

REVISIONS

MARKDATE	DESCRIPTION

REGISTER

Project	AE-STUDY-L01
Issue	NOT PROVIDED — BY OTHERS
Date	NOT PROVIDED — BY OTHERS
Drawn	NOT PROVIDED — BY OTHERS
Scale	NTS
Phase	CONSTRUCTION DOCUMENTS

OPEN ISSUE

The set's open issue is stated on the cover, G0.01.

WALL TYPE SCHEDULE

SHEET

A6.5