WINDOW SCHEDULE — DESIGN DEVELOPMENT

TYPE ID	WIDTH	HEIGHT	TYPE	OPERABILITY	ROOM	QTY	PRODUCT / PERFORMANCE	EGRESS OPNG	SILL DEVICE	SAFETY GLZ	DETAIL
A	6.8'	4.5'	CASEMENT	operable - side hinged	Bedroom	1	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY	F2090 DEVICE, WOCD OR 4 IN SPHERE (1015.8)	NOT REQ'D: SILL 30 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	2/A8.03
B	7.1'	4.5'	CASEMENT	operable - side hinged	Bedroom	8	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	F2090 DEVICE, WOCD OR 4 IN SPHERE (1015.8)	NOT REQ'D: SILL 30 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	3/A8.03
C	7.8'	4.5'	CASEMENT	operable - side hinged	Bedroom	2	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	F2090 DEVICE, WOCD OR 4 IN SPHERE (1015.8)	NOT REQ'D: SILL 30 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	4/A8.03
D	8.1'	4.5'	CASEMENT	operable - side hinged	Bedroom	12	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	F2090 DEVICE, WOCD OR 4 IN SPHERE (1015.8)	NOT REQ'D: SILL 30 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	5/A8.03
E	10.8'	6.0'	FIXED	non-operable	Living / Dining	1	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	6/A8.03
F	11.1'	6.0'	FIXED	non-operable	Living / Dining	8	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	1/A8.04
G	12.3'	6.0'	FIXED	non-operable	Living / Dining	2	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	2/A8.04
H	12.7'	6.0'	FIXED	non-operable	Living / Dining	12	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	3/A8.04
I	8.0'	6.0'	FIXED	non-operable	Resident lounge	3	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	4/A8.04
J	6.0'	6.0'	FIXED	non-operable	Resident reading room	3	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	5/A8.04
K	8.0'	6.0'	FIXED	non-operable	Shared laundry room	6	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	6/A8.04
L	3.0'	4.0'	FIXED	non-operable	Stair landing	8	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 36 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	1/A8.05
M	16.0'	6.0'	FIXED	non-operable	Studio	7	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	2/A8.05
N	16.7'	6.0'	FIXED	non-operable	Studio	3	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	3/A8.05
O	16.7'	6.0'	FIXED	non-operable	Studio	1	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	4/A8.05
P	16.8'	6.0'	FIXED	non-operable	Studio	3	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	5/A8.05
Q	16.9'	6.0'	FIXED	non-operable	Studio	2	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	6/A8.05
R	17.5'	6.0'	FIXED	non-operable	Studio	1	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	1/A8.06
S	17.6'	6.0'	FIXED	non-operable	Studio	6	NOT PROVIDED — BY OTHERS	NOT REQ'D: GROUP R-2 WITH 2 EXITS REACHABLE: 1031.2 ITEM 1 DOES NOT APPLY / NOT REQ'D: STOREY 4: 1031.2 ASKS BELOW THE FOURTH STOREY ABOVE GRADE PLANE	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 18 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	2/A8.06
T	6.0'	7.0'	FIXED	non-operable	Tenant shell	37	NOT PROVIDED — BY OTHERS	N/A: NOT A SLEEPING ROOM	N/A: A FIXED SASH: 1015.8 READS OPERABLE WINDOWS	NOT REQ'D: SILL 24 IN ABOVE THE FLOOR, NOT UNDER 18 (2406.4.3)	3/A8.06

TOTAL WINDOW TYPES: 20 | TOTAL WINDOWS: 126

ARCHITECT TO SELECT PRODUCTS AND VERIFY SIZES, OPERABILITY, GLAZING AND FINISHES. MANUFACTURER, PRODUCT CERTIFICATES AND PERFORMANCE VALUES: NOT PROVIDED — BY OTHERS

INSTALLATION, SILL/JAMB/HEAD FLASHING & WRB INTEGRATION DETAILED ON A8.02. SAFETY GLAZING PER IBC 2406.

WINDOW WIDTHS ARE THE UNIT LAYOUTS'. SILL AND HEAD: PROJECT-AUTHORED FOR STUDIO; WINDOW_SIZES DECLARED DEFAULTS FOR OTHER ROOMS. DESIGN DIMENSIONS REQUIRE PRODUCT SELECTION AND VERIFICATION BY THE ARCHITECT.

EGRESS OPENING (1031), SILL FALL PROTECTION (1015.8) AND SAFETY GLAZING (2406.4) FROM THE LEDGER'S WINDOW RECORDS; TYPE ELEVATIONS ON A8.02.

SHEET NOTES

1. WINDOWS A, B, C, D, E, F AND 14 MORE: SPECIFIED IN SECTION 08 54 13.

NOT PROVIDED — BY OTHERS
APPLICANT / OWNER

CONSULTANTS

STRUCTURAL	NOT PROVIDED — BY OTHERS
CIVIL	NOT PROVIDED — BY OTHERS
MECHANICAL	NOT PROVIDED — BY OTHERS
PLUMBING	NOT PROVIDED — BY OTHERS
ELECTRICAL	NOT PROVIDED — BY OTHERS
LANDSCAPE	NOT PROVIDED — BY OTHERS
FIRE PROTECTION	NOT PROVIDED — BY OTHERS
GEOTECHNICAL	NOT PROVIDED — BY OTHERS

REVIEW

Prepared for review by the design professional of record. Not for construction or permit submission.

PROJECT

Architecture.Engineering — L courtyard study

FICTIONAL STUDY: NO REAL PARCEL
ARCHITECTURE.ENGINEERING — L COURTYARD STUDY
OCCUPANCY R-2, M · CONSTRUCTION NOT PROVIDED — BY OTHERS · STORIES 4

REVISIONS

MARK	DATE	DESCRIPTION

REGISTER

Project	AE-STUDY-L01
Issue	NOT PROVIDED — BY OTHERS
Date	NOT PROVIDED — BY OTHERS
Drawn	NOT PROVIDED — BY OTHERS
Scale	NTS
Phase	CONSTRUCTION DOCUMENTS

OPEN ISSUE

The set's open issue is stated on the cover, G0.01.

WINDOW SCHEDULE

SHEET

A6.1