
1. DOOR TYPE F: UNIT ENTRY

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_F · SF-1 2 HR



A: TYPE F
B: 3'-0" x 7'-0"


OPENING RECORD

RATING: NOT PROVIDED — BY OTHERS
VISION LITE: NONE
HARDWARE: SET HS-1
DOORS: 3 ON THE ELEMENT FILE

2. DOOR TYPE G: TENANT ENTRY

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_G · DW-2 1 HR



A: TYPE G
B: 3'-0" x 7'-0"

OPENING RECORD

RATING: 45-MIN FIRE DOOR, D-H-45 (TABLE 716.1(2))
VISION LITE: NONE
HARDWARE: SET HS-4
DOORS: 9 ON THE ELEMENT FILE

3. DOOR TYPE H: INTERIOR

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_H · PW-1 0 HR

A: TYPE H
B: 3'-0" x 6'-8"

OPENING RECORD

RATING: NONE REQUIRED (HOST WALL 0 HR)
VISION LITE: NONE
HARDWARE: SET HS-2
DOORS: 69 ON THE ELEMENT FILE

4. DOOR TYPE I: BATH

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_I · PW-1 0 HR

A: TYPE I
B: 3'-0" x 6'-8"

OPENING RECORD

RATING: NONE REQUIRED (HOST WALL 0 HR)
VISION LITE: NONE
HARDWARE: SET HS-3
DOORS: 46 ON THE ELEMENT FILE

5. DOOR TYPE J: STAIR

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_J · STAIR ENCLOSURE 2 HR (1023.2), IN CW-1

A: TYPE J
B: 3'-0" x 7'-0"
C: LITE 100 SQ IN MAX

OPENING RECORD

RATING: 90-MIN FIRE DOOR, D-H-90 (TABLE 716.1(2))
VISION LITE: 100 SQ IN MAX, 716.2.5.2
HARDWARE: SET HS-5
DOORS: 6 ON THE ELEMENT FILE

6. DOOR TYPE K: STAIR

NTS · MODEL OPENING STUDY; ARCHITECT TO VERIFY PROJECT APPLICATION

DOOR_TYPE_K · STAIR ENCLOSURE 2 HR (1023.2), IN EW-1

A: TYPE K
B: 3'-0" x 7'-0"
C: LITE 100 SQ IN MAX

OPENING RECORD

RATING: 90-MIN FIRE DOOR, D-H-90 (TABLE 716.1(2))
VISION LITE: 100 SQ IN MAX, 716.2.5.2
HARDWARE: SET HS-5
DOORS: 1 ON THE ELEMENT FILE

SHEET NOTES

1. DOORS: SPECIFIED IN SECTIONS 08 11 00, 08 14 00, 08 41 13, 08 71 00.

NOT PROVIDED — BY OTHERS
APPLICANT / OWNER

CONSULTANTS

STRUCTURAL	NOT PROVIDED — BY OTHERS
CIVIL	NOT PROVIDED — BY OTHERS
MECHANICAL	NOT PROVIDED — BY OTHERS
PLUMBING	NOT PROVIDED — BY OTHERS
ELECTRICAL	NOT PROVIDED — BY OTHERS
LANDSCAPE	NOT PROVIDED — BY OTHERS
FIRE PROTECTION	NOT PROVIDED — BY OTHERS
GEOTECHNICAL	NOT PROVIDED — BY OTHERS

REVIEW

Prepared for review by the design professional of record. Not for construction or permit submission.

PROJECT

Architecture.Engineering — L courtyard study

FICTIONAL STUDY: NO REAL PARCEL
ARCHITECTURE.ENGINEERING — L COURTYARD STUDY
OCCUPANCY R-2, M · CONSTRUCTION NOT PROVIDED — BY OTHERS · STORIES 4

REVISIONS

MARK	DATE	DESCRIPTION

REGISTER

Project	AE-STUDY-L01
Issue	NOT PROVIDED — BY OTHERS
Date	NOT PROVIDED — BY OTHERS
Drawn	NOT PROVIDED — BY OTHERS
Scale	NTS
Phase	CONSTRUCTION DOCUMENTS

OPEN ISSUE

The set's open issue is stated on the cover, G0.01.

DOOR DETAILS (CONT.)

SHEET

A8.09